

NATIONAL DECLARATION OF CONFORMITY No. 4

1. Construction product manufacturer: Galeco Sp. z o.o., ul. Uśmiechu 1, 32-083 Balice.

2. Production plants:

1. ul. Uśmiechu 1, 32-083 Balice, Poland,
2. ul. Husarska 35, 66-400 Gorzów Wielkopolski, Poland,

3. Name of the construction product:

Roof gutters of organic coated steel plate.
Galeco STAL gutter systems.

4. Statistic classification of the construction product:

PKWiU (the Polish Products and
Services Classification): 25.99.29.0

5. Intended use and scope of application of the construction product:

Steel plate roof gutters and downpipes are intended for rainwater disposal.

6. Technical specification:

The Polish Standard PN-EN 612 May 2006, "Metal sheet roof gutters with round stiffened front rim and downpipes joined with an overlap"

7. Declared technical characteristics of the construction product type:

Consistent with technical specification: a) class Y of roof gutters, b) minimum coating thickness – above 25 microns, c) plate thickness – minimum 0.6 mm.

8. Name and number of the accredited certifying authority or laboratory or a number of the certificate or report on product type testing, provided that such authority participated in the applied system of assessment of a construction product compliance:

ITB (AB050) report no. LOW/002/2006, ITB (AB050) report no. LOW/019.2/2007,
ITB (AB023) report no. LOW/537.1/2009, ITB (AB023) report no. LOW/605.1/P/2009,

I declare with full responsibility that the construction product is consistent with the technical specification indicated in point 6.

Product Specialist

Balice, 1 January 2010



Michał Gryszówka

